


MACCHINA BASE
BASIC MACHINE
MÁQUINA BÁSICA

- ✓ Sistema di lavoro Orbitale con 5 dischi rotanti
Orbital working system by 5 revolving discs
Sistema de trabajo orbital por 5 discos giratorios
- ✓ Piano fisso di lavoro a 900mm
Fixed work table 900 mm
Mesa de trabajo fija 900 mm
- ✓ Piana Depressione con INVERTER
Vacuum table with INVERTER
Mesa de vacío con INVERSOR
- ✓ INVERTER su Carosello
INVERTER for Carousel
INVERSOR para carrusel
- ✓ INVERTER su avanzamento
INVERTER for feed belt
INVERSOR para correa de alimentación
- ✓ Cambio dischi rapido e facilitato
Quick easy discs changing device
Dispositivo de cambio rápido y fácil de discos
- ✓ Salita e discesa asse Z motorizzata
Z axis up and down adjustment automatically controll
Ajuste arriba y abajo del eje Z controlan automáticamente



Oxy M650 5D

MACHINE DIMENSIONS (LxPxH)
1450x1200x1500 mm



Need Help?

No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.

**"Look no further for a better finishing!
We have what you're looking for.
Make your choice".**



Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



www.emc-italia.it



EMC Italia srl




Oxy M650 5D

Small size and high processing speeds




The highest quality finishing

Oxy M650 5D



Compact and adaptable in 650mm

Spazzole tangenziali con cambio rapido
Tangential brushes with quick change device
Cepillos tangenciales con dispositivo de cambio rápido




Depressore interno (taratura variabile, inverter)
Internal vacuum fan (variable setting, inverter)
Ventilador de aspiración del vacío interno (ajuste variable, inverter)



PLASMA BRUSH

Gruppo pulizia tappeto
Feed belt cleaning group
Grupo de limpieza transportador



Rulliere di estensione
Rollers table extension
Extensión de mesa, rodillos



Pista magnetica
Magnetic band
Banda magnética




Acciai
Steel
Acero

Acciai inossidabili
Stainless steel
Acero inoxidable


Alluminio
Aluminum
Aluminio

Materiali avanzati
Advanced materials
Materiales avanzados



Plasma / ossitaglio
Plasma / oxycutting
Plasma / oxicorte

Sbavatura e/o raggatura spigolo
Deburring and/or edge rounding
Desbarbado y/o redondeo de bordes



Laser / punzonatrice / CNC
Laser / punching / CNC machines
Láser / punzonado / máquinas CNC

Sbavatura e/o raggatura spigolo
Deburring and/or edge rounding
Desbarbado y/o redondeo de bordes




Plasma / laser
Plasma / laser
Plasma / láser

Sbavatura, rimozione calamina e/o raggatura spigolo
Deburring, calamine removal and/or edge rounding
Desbarbado, eliminación de calamina y/o redondeo de borde

GRUNDMASCHINE
MACHINE DE BASE
БАЗОВОЕ ИСПОЛНЕНИЕ

- ✓ Planetares Arbeitssystem mit 5 rotierenden Scheiben
Système de travail Planetar par 5 disques rotatifs
Планетарная рабочая система на 5 вращающихся дисках
- ✓ Konstante Tischhöhe 900 mm
Hauteur fixe 900 mm
Фиксированная высота 900мм
- ✓ Vakuumentisch mit INVERTER
Table à dépression avec convertisseur
Вакуумный стол с ИНВЕРТОРОМ
- ✓ INVERTER für Karussell
CONVERTISSEUR du carrousel
ИНВЕРТОР на Каруселе
- ✓ INVERTER für Vorschubteppich
CONVERTISSEUR tapis d'entraînement
ИНВЕРТОР на подаче
- ✓ Schnelles einfaches Disc-Wechselgerät
Dispositif de changement de disques rapide et facile
Устройство быстрой смены дисков
- ✓ Z-Achse mit automatische Hoch-Tiefverstellung
Montée et descente de l'axe Z motorisé
Моторизированное поднятие и спуск оси Z



Oxy M650 5D

MACHINE DIMENSIONS (LxPxH)
1450x1200x1500 mm



Need Help?

No problem. Just connect the electronic cable we gave you to the machine. EMC technician will do the rest of the job.

**"Look no further for a better finishing!
We have what you're looking for.
Make your choice".**




Via Brodolini, 23 - 40026 Imola (Bo) Italy
Tel. +39 0542 688034 - Fax +39 0542 643959
E-mail: info@emc-italia.it



www.emc-italia.it



EMC Italia srl



Oxy M650 5D

Small size and high processing speeds





The highest quality finishing

Oxy M 650 5D



Compact and adaptable in 650mm

Tangentiale Bürsten mit Schnellspanvorrichtung
Brosses tangentielles avec changement rapide
Тангенциальные щётки с устройством быстрой замены




Vakuumschüssel, Gebläse im Maschinenständer integriert (variabel einstellbar)
Dépresseur à l'intérieur (réglage variable avec convertisseur)
Внутренняя вакуумная установка (изменяемая калибровка, инвертор)



PLASMA BRUSH

Bürstenwalze für Transportteppich-Reinigung
Brosse nettoyage du tapis
Щётка для очистки конвейера



Rollentisch-Verlängerung
Rouleaux de prolongement
Рольганг расширитель



Magnet-Teppich
Piste magnétique
Магнитная лента



Stahl
Aciers
Сталь

Edelstahl
Aciers inoxydables
Нержавеющая сталь

Aluminium
Aluminium
Алюминий

Hochwertige Metalle
Matériaux avancés
Передовые материалы



Plasma / Oxidationsschliff
Plasma / охусоураже
Плазменная / кислородная резка

Entgraten und/oder Eckenabrundung
Ebavurage et/ou rayon de l'arête
Удаление заусенцев и / или закругление края



Laser / Stanzen / CNC-gesteuerte Maschinen
Laser / poinçonneuse / CNC
Лазерная обработка / Перфорирующие станки / Станки с ЧПУ

Entgraten und/oder Eckenabrundung
Ebavurage et/ou rayon de l'arête
Удаление заусенцев и / или закругление края



Plasma / Laser
Plasma / Laser
Плазменная/Лазерная обработка

Entgraten, Oxidationsschliff und/oder Eckenabrundung
Ebavurage, enlèvement de calamine et / ou enlèvement de rayon d'arête
Удаление заусенцев, оксидной плёнки и / или закругление краёв