

# COMPATIBILIDAD KITS OPCIONALES ACCESORIOS



**BE\_XTRA**

 **elsa**<sup>®</sup>  
Super Xtrafactory Devices





Per  
D  
avimento  
Parts

IME  
C271 25 L  
CE


# SUPERCOMBINATA

PATENTED AND MADE BY ELSA S.p.A.

ALESATRICE PORTATILE PER ALESATURA E RIPORTO DI SALDATURA  
PORTABLE LINE BORING AND ROTARY WELDING MACHINE

# KITS OPCIONALES

	BASIC	EASY	EASY COMPACT	SC1	SC2	SC2 COMPACT	SC3
<b>REDUCCIÓN</b>							
KEP00187		•	•	•			
KEP00188		•	•	•			
KEP00594 / KEP00596					•	•	•
KEP00593 / KEP00595					•	•	•
KEP00687 / KEP00597 para trabajos con KES00186/KES00200					•	•	•
KEP00688 / KEP00598					•	•	•
<b>REFRENTADO</b>							
KES00186*	•	•	•	•	•	•	•
KES00200*				•	•		•
KES00363					•		•
KES00364							•
*SC2/ SC2 Compact / SC3 compatibles con la ayuda de KEP00687							
<b>ROSCADO INTERIOR</b>							
KFL00928				•			
KFL00927					•		•
<b>TORNEADO EXTERIOR</b>							
KEL00202	•	•	•	•	•	•	•
KEL00203			•	•	•	•	•
KEL00184					•	•	•
<b>GRANDES DIAMETROS</b>							
KED00180				•			
KED00360					•		
KED00366							•
<b>BASIC 250</b>							
KITALB	•						
KITSLDE	•						




# ACCESORIOS

	BASIC	EASY	EASY COMPACT	SC1	SC2	SC2 COMPACT	SC3
<b>JUNTA EXTERIOR PARA EJE (A) Ø 60 mm</b>							
AE000441					•	•	•
<b>JUNTA INTERIOR PARA EJE (B) Ø 60 mm</b>							
AE000442					•	•	•
<b>ENGANCHE CONO MORSE 4 mm</b>							
AE000443					•	•	•
<b>JUNTA EXTERIOR PARA EJE Ø 40 mm</b>							
AE000487	•	•	•	•			
<b>JUNTA INTERIOR PARA EJE Ø 40 mm</b>							
AE000490	•	•	•	•			
<b>BARRA PORTAHERRAMIENTA Ø 60x3000 mm</b>							
AE003014					•	•	•
<b>BARRA PORTAHERRAMIENTA Ø 60x3000 mm ENGANCHE DOBLE</b>							
AE003015					•	•	•
<b>BARRA PORTAHERRAMIENTA Ø 40x3000 mm</b>							
AE003017	•	•	•	•			

# ACCESORIOS

	BASIC	EASY	EASY COMPACT	SC1	SC2	SC2 COMPACT	SC3
<b>SISTEMA CAM</b>							
AE030015	•	•	•	•	•	•	•
<b>BARRA PORTAHERRAMIENTA Ø 60x1100 mm</b>							
AE030025					•	•	•
<b>BOQUILLA GUIA DE ALAMBRE LARGO Ø 1,0 mm</b>							
COT90201	•	•	•	•	•	•	•
<b>BOQUILLA GUIA DE ALAMBRE CORTO Ø 1,0 mm</b>							
COT90202	•	•	•	•	•	•	•
<b>SOPORTE INTERNO Ø 200-300 mm</b>							
GC35SC					•	•	•
<b>CONOS DE CENTRADO AJUSTABLES Ø 60-105 mm</b>							
GC36SC	•	•	•	•			
<b>SOPORTE INTERNO Ø 200-300 mm</b>							
GC37SC	•	•	•	•			
<b>CONOS DE CENTRADO AJUSTABLES Ø 135-225 mm</b>							
GC39SC					•	•	•
<b>LANCHA TERMINAL DE Ø 30 mm A Ø 50 mm</b>							
SG00127	•	•	•	•	•	•	•

	BASIC	EASY	EASY COMPACT	SC1	SC2	SC2 COMPACT	SC3
<b>CONOS DE CENTRADO AJUSTABLES Ø 90 - 150 mm</b>							
SG00061			•	•			
<b>BARRA PORTAHERRAMIENTA Ø 60x2200 mm ENGANCHE DOBLE</b>							
AE030026					•	•	•
<b>JUNTA EXTERIOR PARA EJE Ø 30 mm</b>							
AE000489			•				





**BE\_XTRA**



Super **Xtrafactory** Devices

Elsa Srl  
Località La Petrizia - SS 106  
88050 Sellia Marina (CZ) - Italia  
Tel: (+39) 0961 962854  
Fax: (+39) 0961 968716  
info@elsasrl.com

[www.elsasrl.com](http://www.elsasrl.com)